

# FORM FROM SAFETY

## HYDRO PROTECTION PRIMER

## SECTION 1: identification from the substance/mixture And from the company/business

1.1. Identifier of the product

Identification from the blend:

Commercial name: HYDRO PROTECTION PRIMER

1.2. Uses identified relevant from the substance or from the blend And uses not recommended

Use recommended: Dispersion watery Of polymers

syntheticUses not recommended: Data Not available .

## **1.3.** Information on the supplier from the form Of data Of safety

Supplier: EDMEC DM - 41038 San Felice s/P (MO) - Via Scala n°628/D

Person qualified responsible from the form Of safety: info@edmec.it

## 1.4. Number telephone Of emergency

Center anti-poisons, Agency hospital "Anthony Cardarelli", III Service Of anesthesia And resuscitation, Street Anthony Cardarelli 9, Naples -Tel. 081 5453333

Center anti-poisons, Agency hospital university Careggi, UO Toxicology medical, Street Wide Brambilla 3, Florence - Tel. 055 7947819 Center anti-poisons, Center national of information toxicological, IRCCS Foundation Savior Maugeri Clinic of the Work And from the rehabilitation, Street Savior Maugeri 10, Pavia - Tel. 0382 24444

Center anti-poisons, Agency hospital Niguarda Ca' Granda, square Hospital Greater 3, Milan - Tel. 02 66101029 Center anti-poisons, Agency hospital "Dad John XXIII", Toxicology clinic, Department Of pharmacy clinic And pharmacology, square WHO 1, Bergamo - Tel. 800 883300

Center anti-poisons Polyclinic "Umberto THE", PRGM toxicology urgently, avenue of the Polyclinic 155, Rome - Tel. 06 49978000 Center anti-poisons of the Polyclinic "Augustine Twins", Service Of toxicology clinic, wide Augustine Twins 8, Rome - Tel. 06 3054343

Center anti-poisons, Agency hospital university Gathered, avenue Louis Pinto 1, Foggia - Tel. 800 183459

Center anti-poisons, Hospital pediatric Child Jesus, Department emergency And acceptance GODDESS, square Saint Onofrio 4, Rome - Tel. 06 68593726

Center anti-poisons of the Company hospital university integrated (AOUI) Of Verona site Of Village Trent, square Aristide Stefani, 1 - 37126 Verona - Tel. 800 011858

## SECTION 2: identification of the dangers

## 2.1. Classification from the substance or from the blend

## Regulation (THERE IS) n. 1272/2008 (CLP)

The product Not And considered dangerous in agreement with The Regulation THERE IS 1272/2008 (CLP).

Effects physico-chemical harmful at the Health Human

And to the environment: No other danger

## 2.2. Elements of the label

The product Not And considered dangerous in agreement with The Regulation THERE IS 1272/2008 (CLP).

## Provisions specials:

EUH208	Contains 1,2-benzisothiazol-3(2H) -one . Can provoke a reaction allergic.
EUH208	Contains Blend Of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] And 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1). Can provoke a reaction allergic.

EUH210 Card data Of safety available on request.

## Provisions special in basic to the Attachment XVII of the REACH And subsequent ones adjustments:

None

## 2.3. Others dangers

No PBT, vPvB or interfering substances endocrine present in concentration >= 0.1%

For further technical information:

EDMEC DM Via Scala n°628/D - 41038 San Felice s/P (MO) Part. VAT and Fiscal Code : 03728460365 info@edmec.it



Others dangers: No other danger

**Registration number** 

## SECTION 3: composition/information on ingredients

#### 3.1. Substances

Not Relevant

#### 3.2. Mixtures

Identification from the blend: HYDRO PROTECTION PRIMER

Components dangerous to the senses of the Regulation CLP And relative classification:

Concentr ation (% w/w)	First name	Identification No	Classification	I
≥0.016 - <0.025 %	1,2-benzisothiazol-3(2H) -one	CAS:2634-33-5 EC:220-120-9 Index :613-088- 00-6	Skins Irrit . 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox . 4, H302 Skin Sens . 1, H317 Aquatic Chronic 2, H411	
			Specific concentration limits: C $\geq$ 0.05%: Skin Sens . 1 H317	
<0.0015 %	Mixture of: 5-chloro-2-methyl-2H- isothiazol-3-one [EC no. 247-500- 7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	CAS:55965-84-9 EC:611-341-5 Index :613-167- 00-5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox . 3, H301 Skin Corr . 1C, H314 Skin Sens . 1A, H317 Acute Tox . 2, H310 Acute Tox . 2, H330 Eye Dam. 1, H318, M-Chronic :100, M-Acute:100	
			Specific concentration limits: C ≥ 0.6%: Skin Corr . 1C H314 0.06% ≤ C < 0.6%: Skin Irrit . 2 H315 C ≥ 0.6%: Eye Dam. 1 H318 0.06% ≤ C < 0.6%: Eye Irrit . 2 H319 C ≥ 0.0015%: Skin Sens . 1A H317	

# SECTION 4: measures Of first rescue

## 4.1. Description from the measures Of first rescue

In case Of contact with there skin:

Wash abundantly with waterfall And soap.

In case Of contact with The eyes:

Wash immediately with waterfall.

In case Of ingestion:

Not induce vomit, ask assistance medical showing this SDS And labelling Of danger.

In case Of inhalation:

Bring the injured person in the air open And keep it to the heat And to rest.

## 4.2. Main symptoms and effects, is acute That retarded

Not available

## **4.3. Indication of the possible need Of to consult immediately a doctor And Of treatments special** Treatment:

Not available (see point 4.1)

## SECTION 5: measures Of struggle fire prevention

## 5.1. Means Of extinction

Means Of extinction eligible: Waterfall. Dioxide Of carbon (CO2).



Means Of extinction That Not they must to be used For reasons Of safety: Nobody in particular.

#### **5.2. Dangers special arising from the substance or from the blend** Not inhale the gas products from the explosion And from the combustion.

**5.3.** Recommendations For The employees to extinction of the fires Use equipment respiratory adequate.

## SECTION 6: measures in case Of release accidental

## 6.1. Precautions personal, devices Of protection And procedures in case Of emergency

Wear the devices Of protection individual. Move

the people in place Safe.

## 6.2. Precautions environmental

Impede there penetration In the soil/subsoil. Impede The outflow in waters superficial or in the net sewerage. To contain the spreading with Earth or sand.

## 6.3. Methods And materials For The containment And For there quenching and tempering

Material suitable at the collection: material absorbent, organic, sand

Hold back the water Of wash contaminated and eliminate it.

## 6.4. Reference to other sections

You see Also paragraph 8 And 13

## **SECTION 7: handling And storage**

## 7.1. Precautions For there handling safe

Avoid The contact with there skin And The eyes, inhalation Of vapors And mists.During The Work Not eat neither drinking.

Yes postpone Also to the paragraph 8 For the devices Of protection recommended.

## 7.2. Conditions For the storage Safe, included possible incompatibility

Hold distant from foods, drinks And feed.

Matter incompatible:

None in particular. Yes see Also The following paragraph 10.

Indication For the locals:

Locals adequately ventilated.

## 7.3. Uses finals details

Recommendations

No use particular

Solutions specifications For The sector

industrialNo use particular

## SECTION 8: controls of the exposure/of protection individual

## 8.1. Parameters Of check

No Given Available

## 8.2. Controls of the exhibition

Protection of the eyes:

Not required For use normal. Operate Anyway second the good practices Of Work.

Protection from the skin:

Not And request adoption Of any precaution special For use normal.

Protection from the hands:

Materials suitable For gloves protective; EN ISO 374:

Polychloroprene - CR: thickness >= 0.5mm; breaking time >= 480min.

Eraser nitrile - NBR: thickness >= 0.35mm; time Of break >= 480min.

Eraser butyl - IIR: thickness >= 0.5mm; time Of break >= 480min.

Eraser fluorinated - FKM: thickness >= 0.4mm; time Of break >= 480min.

Protection respiratory:

Everyone the devices Of protection individual they must to be compliant to standard THERE IS concerning (as EN ISO 374 For the gloves And EN ISO 166 for glasses), kept efficient and stored appropriately. Always consult your device supplier protection.

For further technical information: EDMEC DM

Via Scala n°628/D - 41038 San Felice s/P (MO) Part. VAT and Fiscal Code : 03728460365 info@edmec.it



Not required For use normal. Operate Anyway second the good practices Of Work.

Measures Techniques And Of Hygiene

Not available

Controls technicians eligible:

Not available

## **SECTION 9: property physical And chemicals**

9.1. Information on property physical And chemicals fundamentals Physical state: LiquidI wait: liquid Blue color Odor: characteristic Theshold Of odor: Not available Point Of melting/freezing: Not available Point Of boiling initial And interval Of boiling: 100 °C (212 °F ) Flammability: NA Upper/lower flammability or explosive limits: Not available Point Of flammability: Not available Auto-ignition temperature: Not available Decomposition temperature: Not available pH: 7.50 Viscosity: 1,100.00 cPs Kinematic viscosity: Not availableWater solubility: dispersible Solubility in oil: insoluble Partition coefficient ( n-octanol /water): Not availablePressure Of steam: Not available Relative density: 0.90 g/cm3 Vapor density: Not available Characteristics from the particles: Dimension from the particles: Not available 9.2. Other information Miscibility: Not available Conductivity:

Not available Explosive properties:

==

No one else information relevant

## **SECTION 10: stability And reactivity**

## 10.1. Reactivity

Stable in conditions normal

10.2. Stability chemistry

Stable in conditions normal

**10.3. Possibility Of reactions dangerous** Nobody.

## 10.4. Conditions from avoid

Stable in conditions normal.

10.5. Materials incompatible

None in particular.

**10.6. Products Of decomposition dangerous** Nobody.

## **SECTION 11: information toxicological**

11.1. Information on classes Of danger defined In the regulation (THERE IS) n. 1272/2008 Information toxicological concerning there blend:

a) acute toxicity

Not classified

EDMEC DM Via Scala n°628/D - 41038 San Felice s/P (MO) Part. VAT and Fiscal Code : 03728460365 info@edmec.it



			Based on available data, the classification criteria are not met.
	b) skin corrosion/irritation		Not classified
			Based on available data, the classification criteria are not met.
	c) serious eye damage/serious eye irritation		Not classified
			Based on available data, the classification criteria are not met.
	d) respiratory or skin sensitization		Not classified
			Based on available data, the classification criteria are not met.
	e) mutagenicity of germ cells		Not classified
			Based on available data, the classification criteria are not met.
	f) carcinogenicity		Not classified
			Based on available data, the classification criteria are not met.
	g) reproductive toxicity		Not classified
			Based on available data, the classification criteria are not met.
h) specific target organ toxicity (STOT) — single exposure			Not classified
			Based on available data, the classification criteria are not met.
	<ul> <li>I) specific target organ toxicity (STOT) — repeated exposure</li> <li>j) danger in case of aspiration</li> </ul>		Not classified
			Based on available data, the classification criteria are not met. Not classified
			Based on available data, the classification criteria are not met.
I am O blend:	f following repo	orted the informat	tion toxicological concerning the main substances present in the
1,2-ben 3(2H) -(	zisothiazol- one	a) acute toxicity	LD50 Oral Rat = 670, mg/kg

Mixture of: 5-chloro-2- methyl-2H-isothiazol-3- one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)	a) acute toxicity	LC50 Inhalation Rat = 2.36 mg/l 4h
		LD50 Rabbit Skin = 660, mg/kg LD50 Oral Rat = 53, mg/kg

## 11.2. Information on others dangers

## Property Of interference with The system endocrine:

No interfering endocrine present in concentration >= 0.1%

#### **SECTION 12: information ecological**

#### 12.1. Toxicity

Use second the good practices working, avoiding Of disperse The product in the environment. Information Eco-Toxicological:

#### List from the Property Eco-Toxicological of the product

Not classified For the dangers For the environment

On the basic of the data available, the criteria Of classification Not I am satisfied.

#### List from the property Eco-Toxicological of the components Identification Eco-Toxicological Information Component No



1,2-benzisothiazol-3(2H) -one	CAS: 2634-33- 5 - EINECS: 220-120-9 - INDEX: 613- 088-00-6	a) Acute aquatic toxicity: LC50 Fish = 2.15 mg/L
		<ul> <li>b) Chronic aquatic toxicity: NOEC Algae = 0.0403 mg/L 72h</li> <li>b) Chronic aquatic toxicity: EC50 Algae = 0.11 mg/L 72h</li> <li>b) Chronic aquatic toxicity: EC10 Algae = 0.04 mg/L 72h</li> <li>b) Chronic aquatic toxicity: EC50 Daphnia = 3.27 mg/L 48h</li> <li>NOEC Daphnia = 1.2 mg/L 21d</li> </ul>
Mixture of: 5-chloro-2-methyl-2H- isothiazol-3-one [EC no. 247-500- 7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	84-9-EINECS:	a) Acute aquatic toxicity: EC50 Daphnia = 0.12 mg/L 48
		a) Acute aquatic toxicity: LC50 Fish = 0.22 mg/L 96 a) Acute aquatic toxicity: EC50 Algae = 0.048 mg/L 72 b) Chronic aquatic toxicity: NOEC Algae = 0.0012 mg/L 72

- b) Chronic aquatic toxicity: NOEC Algae = 0.0012 mg/L/2
- b) Chronic aquatic toxicity: NOEC Fish = 0.098 mg/L 28 d
- b) Chronic aquatic toxicity: NOEC Daphnia = 0.004 mg/L 21 d

#### 12.2. Persistence And degradability

NA

#### 12.3. Potential Of bioaccumulation

NA

## 12.4. Mobility In the soil

NA

#### 12.5. Results from the assessment PBT And vPvB

No PBT, vPvB or interfering substances endocrine present in concentration >= 0.1%

#### 12.6. Property Of interference with The system endocrine

No interfering endocrine present in concentration >= 0.1%

#### 12.7. Others effects adverse

Not available

#### **SECTION 13: considerations on disposal**

#### 13.1. Methods Of treatment of the waste

There generation Of waste should to be avoided or minimized where possible. Recover self possible.

Not And possible to specify a code Of rejection (CER) second the list European of the waste (LoW), to cause from the dependence from use. To contact And send to a service Of disposal waste authorized.

Methods Of disposal:

The disposal Of This product, solutions, packaging and possible by-products needs to Always to be compliant to the requirements from the legislation on the protection environmental And on disposal of the waste And to the requirements from the authority locals And regional.

Dispose the products in excess And Not recyclable through a contractor authorized at the disposal of the waste. Not throw away the waste in sewers.

The packaging Of waste clean they must to be recycled when possible And authorized by the authority.

Waste dangerous: No

Considerations on disposal:

Not allow the entrance in channels Of drain or courses of water.

Dispose The product second all the regulations federal, state And locals applicable.

Self This product he comes mixed with others waste, The code rejection original could be Not to be more applicable And The code appropriate should to be assigned.

Dispose the containers contaminated from the product in compliance with the provisions locals or national. For more information, to contact the authority local For the waste.

#### Precautions specials:

This material And The his container they must to be disposed of in way Safe. Lend Attention when Yes they handle containers empty Not treated.

For further technical information:

EDMEC DM Via Scala n°628/D - 41038 San Felice s/P (MO) Part. VAT and Fiscal Code : 03728460365 info@edmec.it



Avoid there dispersion of the material poured out And The outflow And The contact with ground, courses of water, downloads And sewers. Containers or linings empty can hold back some residues Of product. Not reuse the containers empty.

## 14.1. Number UN or number ID Not Applicable 14.2. Designation official UN Of transport Not Applicable 14.3. Classes Of danger connected to the transport Not Applicable 14.4. Group of packaging Not Applicable 14.5. Dangers For the environment Not Applicable 14.6. Precautions special For The users Not applicable Street And Rail ( ADR-RID ) : Not Applicable Air (IATA): Not Applicable Sea ( IMDG ) : Not Applicable 14.7. Transport maritime at the bulk accordance with to acts of the IMO Not Applicable SECTION 3pm: information on the regulation 15.1. Provisions legislative And regulations on Health, safety And environment specifications For there substance or there blend VOC (2004/42/EC): NA g/l Legislative Decree 9/4/2008 n. 81 DM Work 02/26/2004 (Limits Of exposure professionals) Regulation (THERE IS) n. 1907/2006 (REACH)Regulation (EU) no. 2020/878

SECTION 14: information on the transport

Goods Not dangerous to the senses from the norms on the transport.

Regulation (THERE IS) n. 1272/2008 (CLP) Regulation (THERE IS) n. 790/2009 (ATP 1 CLP) And (EU) n. 758/2013 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) no. 618/2012 (ATP 3 CLP) Regulation (EU) no. 487/2013 (ATP 4 CLP) Regulation (EU) no. 944/2013 (ATP 5 CLP) Regulation (EU) no. 605/2014 (ATP 6 CLP) Regulation (EU) no. 2015/1221 (ATP 7 CLP) Regulation (EU) no. 2016/918 (ATP 8 CLP) Regulation (EU) no. 2016/1179 (ATP 9 CLP) Regulation (EU) no. 2017/776 (ATP 10 CLP) Regulation (EU) no. 2018/669 (ATP 11 CLP) Regulation (EU) no. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) no. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) no. 2021/643 (ATP 16 CLP) Regulation (EU) no. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP)



Provisions relative at the directive EU 2012/18 (Seveso III):

#### None

# Restrictions relative to the product or at substances contained in basic to the Attachment XVII of the Regulation (THERE IS) 1907/2006 (REACH) And subsequent ones adjustments:

Product Restrictions: None Restrictions relating to

the substances contained: 75

## Substances SVHC:

1

Substances SVHC Not present in a concentration  $\geq$  0.1% (w/w)

#### **Regulations national**

Lagerklasse (TRGS-510): 12 - Liquids Not fuels, That Not can to be assigned to none other LGK previous Class Of danger German For the waters (WGK)

#### 15.2. Assessment from the safety chemistry

Not And was carried out a assessment from the safety chemistry For there blend

## **SECTION 16: other information**

Self appropriate, the provisions specifications in relation at the possible training For the workers I am mentioned in the section 2. Any training relating to safety in the workplace must in any case refer to a risk assessment which must be carried out by a company safety manager taking into account the specific operational and environmental conditions in which they come used the products.

This document And' state drafted from a technician qualified in matter Of SDS And That has received training appropriate.

Main sources bibliographic:

ECDIN - Environmental Chemicals Date and Information Network - Joint Research Centre , Commission of the European Communities

SAX'S DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information there contained Yes based on our knowledge at the date above reported. I am refer only to the product indicated And Not they make up warranty Of details quality.

The user And held to to make sure from the eligibility And completeness Of such information in relation to use specific That neither

needs to Do. This form cancel And substitute Everything is fine edition previous.

Legend of abbreviations and acronyms used in the safety data sheet: ACGIH:

Conference American of the Hygienists Industrial Governmental

ADR: Agreement European relative to the transport international road Of goods dangerous.

AND: Agreement European relative to the transport international from the goods dangerous For ways

navigable internal TO YOU: Toxicity Acute Estimated

ATEmix : Esteem from the toxicity acute

(Mixtures)BCF: Factor Of concentration

Organic

BEI: Biological Exposure Index BOD:

request biochemistry Of oxygen

CAS: Chemical Abstracts Service (division from the American Chemical

Society).

CAV: Center Anti-poisons

THERE IS: Community European

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, mutagenic, reproductive toxic

CODE: request chemistry Of oxygen

VOC: Composed Organic Volatile

CSA: Assessment from the safety

chemistry

CSR: Chemical Safety Report

DMEL: Derived level with minimal effects

DNEL: Level derivative without

effect.

DPD: Dangerous Products Directive

DSD: Directive Substances Dangerous

EC50: Concentration effective median



ECHA: Agency European For the Substances Chemicals EINECS: Inventory European from the substances chemicals Europeans existing in

trade. ES: Scenario Of Exposure GefStoffVO : Order on substances dangerous in Germany.

GHS: System global harmonized Of classification And Of labelling of the products chemists.

IARC: Center International Of Research on the Cancer

IATA: Association For The transport airplane international.

IATA-DGR: Regulation on goods dangerous from the "Association For The transport airplane international"

(IATA). IC50: Concentration Of inhibition median

ICAO: Organization international For aviation civil.

ICAO-TI: Instructions techniques from the "Organization international For aviation civil" (ICAO).

IMDG: Code maritime international For the goods dangerous.

INCI: Nomenclature international of the ingredients cosmetics.

IRCCS: Scientific Hospitalization and Treatment Institutes

KAFH: KAFH

KSt : Coefficient of explosion.

LC50: Concentration lethal For The 50 For hundred from the population Of test.

LD50: Dose lethal For The 50 For hundred from the population Of test.

LDLo: Dose lethal minimal

NA : Not Applicable

N/A: Not Applicable

N/A: Not determined / Not available

NA: Not available

NIOSH: Institute National For there Safety And Hygiene of the

WorkNOAEL: Dose private Of effects adverse observed

OSHA: Agency For there Safety And there Health on

the WorkPBT: Persistent, bioaccumulative And toxic

PGK: Instructions Of packaging

PNEC: Concentration expected without effect.

**PSG:** Passengers

RID: Regulation about The transport international Of goods dangerous For Street railway. STEL:

Limit of exposure to short term.

STOT: Toxicity organ-specific.

TLV: Value limit Of theshold.

TWATLV: Value limit Of theshold For there average weighed on 8 hours. (ACGIH

Standard).vPvB : Very persistent And Very bioaccumulative

WGK: Class Of danger For the waters (Germany).